

11.

SPPRA BIDDING DOCUMENTS

STANDARD FORM OF BIDDING DOCUMENT
FOR
(PROCUREMENT OF WORKS)

GOVERNMENT OF SINDH
WORKS & SERVICES DEPARTMENT

(For Contractor amounting between Rs. 2.5 million to 50.0 million)

Name Of Work: Establishment of Veterinary Centres in Sindh
(Phase-III) at Village Morasio Roshan Samejo

N.I.T No Date: NIT No TC/G-55/ 343 Dated:- 14 / 03 /2024

Date Of Issue:

Date Of Opening:

Tender Issued To:

D.R No. Date:

And D.R Amount Rs. 3000/-

*EXECUTIVE ENGINEER
PROVINCIAL BUILDINGS DIVISION
MIRPURKHAS*

FORM OF BID
(LETTER OF OFFER)

(1)

Bid Reference No. **TC/G-55/ 343**

Date: 14 / 03 /2024

(Name of Works) Establishment of Veterinary Centres in Sindh (Phase-III) at Village Morasio Roshan Samejo

To:

Executive Engineer,
Provincial Buildings Division
Mirpurkhas.

Gentlemen,

1. Having examined the Bidding Documents including Instructions to Bidders, Bidding Data, Conditions of Contract, Contract Data, Specifications, Drawings, if any, Schedule of Prices and Addenda Nos. _____ for the execution of the above-named works, we, the undersigned, being a company doing business under the name of _____ and address _____

_____ and being duly incorporated under the laws of Pakistan hereby offer to execute and complete such works and remedy any defects therein in conformity with the said Documents including Addenda thereto for the Total Bid Price of Rs _____ (Rupees _____) or such other sum as may be ascertained in accordance with the said Documents.

2. We understand that all the Schedules attached hereto form part of this Bid.

3. As security for due performance of the undertakings and obligations of this Bid, we submit herewith a Bid Security in the shape of call deposit No. _____

dated: _____ Amount

_____ Bank _____ drawn in your favour or made payable to you and valid for a period of twenty eight (28) days beyond the period of validity of Bid.

4. We undertake, if our Bid is accepted, to commence the Works and to deliver and complete the Works comprised in the Contract within the time(s) stated in Contract Data.

5. We agree to abide by this Bid for the period of _____ days from the date fixed for receiving the same and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

(2)

6. Unless and until a formal Agreement is prepared and executed, this Bid, together with your written acceptance thereof, shall constitute a binding contract between us.

7. We undertake, if our Bid is accepted, to execute the Performance Security referred to in Conditions of Contract for the due performance of the Contract.

8. We understand that you are not bound to accept the lowest or any bid you may receive.

9. We do hereby declare that the Bid is made without any collusion, comparison of figures or arrangement with any other person or persons making a bid for the Works.

Dated this _____ day of _____, 20

Signature _____

in the capacity of _____ duly authorized to sign bid for and on behalf of

(Name of Bidder in Block Capitals)

(Seal)

Address

Witness:

(Signature) _____

Name: _____

Address:

Sindh Public Procurement Regulatory Authority | www.pprasindh.gov.pk

INVITATION FOR BIDS

Date: 14 / 03 /2024

Bid Reference No.343

The Executive Engineer Provincial Buildings Division Mirpurkhas, invites sealed bids from interested firms or persons licensed by the Pakistan Engineering Council in the appropriate category (not required for works costing Rs 4.0 million or less) and/or duly pre-qualified (if pre-qualification is done for specific scheme/project) with the Executive Engineer Provincial Buildings Division Mirpurkhas for the Works, **“Establishment of Veterinary Centres in Sindh (Phase-III) at Village Morasio Roshan Samejo”**.

2. A complete set of Bidding Documents may be purchased by an interested eligible bidder on submission of a written application to the office given below and upon payment of a non-refundable fee of Rupees 3000/- (Three Thousand). Bidders may acquire the Bidding Documents from the Office of the Executive Engineer Provincial Buildings Division Mirpurkhas near State Life Building Mirpurkhas.

3. All bids must be accompanied by a Bid Security in the amount of Rs. 0.300 (M) (Rupees Zero Point Three Million only) in the form of (pay order / demand draft / bank guarantee) and must be delivered to office of Executive Engineer, Provincial Buildings Division Mirpurkhas, at 05-04-2024.(on account of (Name of firm) Bids will be opened at 02:30 am on the same day 05-04-2024 in the presence of bidders‘ representatives who choose to attend, at the same address.

[Note: 1. Executive Engineer Provincial Buildings Division Mirpurkhas to enter the requisite information in blank spaces.

2. The bid shall be opened within one hour after the deadline for submission of bids.]

Sindh Public Procurement Regulatory Authority / www.pprasindh.gov.pk

INSTRUCTIONS TO BIDDERS

(Note: *(These Instructions to Bidders (IB) along with Bidding Data will not be part of Contract and will cease to have effect once the Contract is signed).*

A. GENERAL

IB.1 Scope of Bid & Source of Funds

1.1 Scope of Bid

The Executive Engineer Provincial Buildings Division Mirpurkhas defined in the Bidding Data, the Executive Engineer Provincial Buildings Division Mirpurkhas) wishes to receive Bids for the Works summarized in the Bidding Data (hereinafter referred to as the Works “_____”).

Bidders must quote for the complete scope of work. Any Bid covering partial scope of work will be rejected as non-responsive.

1.2 Source of Funds

The Executive Engineer Prov:Bldgs Divn: MPS (W&S) Deptt: Govt: of Sindh arranged the funds of Provincial Government for the work of **“Establishment of Veterinary Centres in Sindh (Phase-III) at Village Morasio Roshan Samejo”** which is to be executed by the Executive Engineer Provincial Buildings Division Mirpurkhas.

IB.2 Eligible Bidders

2.1 Bidding is open to all firms and persons meeting the following requirements:

a) duly licensed by the Pakistan Engineering Council (PEC) in the appropriate category for value of works.

Provided that the works costing Rs. 4.0 million or less shall not require any registration with PEC .

b) duly pre-qualified with the Executive Engineer Provincial Buildings Division Mirpurkhas. (*Where required*).

In the event that prequalification of potential bidders has been undertaken, only bids from prequalified bidders will be considered for award of Contract.

c) if prequalification has not undertaken , the Executive Engineer Provincial Buildings Division Mirpurkhas may ask information and documents not limited to following:-

(i) Company profile;

(ii) Works of similar nature and size for each performed in last 3/5 years;

(iii) Construction equipments;

(iv) qualification and experience of technical personnel and key site management;

(v) Financial statement of last 3 years;

(vi) Information regarding litigations and abandoned works if any

IB.3 Cost of Bidding

3.1 The bidder shall bear all costs associated with the preparation and submission of its bid and the Procuring Agency will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process (SPP Rules 24 & 25).

B. BIDDING DOCUMENTS

IB.4 Contents of Bidding Documents

4.1 In addition to Invitation for Bids, the Bidding Documents are those stated below, and should be read in conjunction with any Addendum issued in accordance with Sub-Clause IB.6.1.

1. Instructions to Bidders & Bidding Data
2. Form of Bid, Qualification Information & Schedules to Bid

Schedules to Bid comprise the following:

- (i) Schedule A: Schedule of Prices/ Bill of Quantities (BoQ).
- (ii) Schedule B: Specific Works Data
- (iii) Schedule C: Works to be Performed by Subcontractors
- (iv) Schedule D: Proposed Programme of Works
- (v) Schedule E: Method of Performing Works
- (vi) Schedule F: Integrity Pact (works costing Rs 10 million and above)

3. Conditions of Contract & Contract Data

4. Standard Forms:

- (i) Form of Bid Security,
- (ii) Form of Performance Security;
- (iii) Form of Contract Agreement;
- (iv) Form of Bank Guarantee for Advance Payment.

5. Specifications

6. Drawings, if any

IB.5 Clarification of Bidding Documents

5.1 A prospective bidder requiring any clarification(s) in respect of the Bidding Documents may notify the Engineer/Procuring Agency at the Engineer's/ Procuring Agency's address indicated in the Bidding Data.

5.2 An interested bidder, who has obtained bidding documents, may request for clarification

Sindh Public Procurement Regulatory Authority | www.pprasindh.gov.pk

of contents of bidding documents in writing and procuring agency shall respond to such queries in writing within three calendar days, provided they are received at least five calendar days prior to the date of opening of bid (SPP Rule 23-1).

IB.6 Amendment of Bidding Documents (SPP Rules 22(2) & 22).

6.1 At any time prior to the deadline for submission of Bids, the Procuring Agency may, for any reason, whether at his own initiative or in response to a clarification requested by a interested bidder, modify the Bidding Documents by issuing addendum.

6.2 Any addendum thus issued shall be part of the Bidding Documents pursuant to Sub-Clause 6.1 hereof, and shall be communicated in writing to all purchasers of the Bidding Documents. Prospective bidders shall acknowledge receipt of each addendum in writing to the Procuring Agency.

6.3 To afford interested bidders reasonable time in which to take an addendum into account in preparing their Bids, the Procuring Agency may at its discretion extend the deadline for submission of Bids.

C. PREPARATION OF BIDS

IB.7 Language of Bid

7.1 All documents relating to the Bid shall be in the language specified in the Contract Data.

IB.8 Documents Comprising the Bid

8.1 The Bid submitted by the bidder shall comprise the following:

- (a) Offer /Covering Letter
- (b) Form of Bid duly filled, signed and sealed, in accordance with IB.14.3.
- (c) Schedules (A to F) to Bid duly filled and initialed, in accordance with the instructions contained therein & in accordance with IB.14.3.
- (d) Bid Security furnished in accordance with IB.13.
- (e) Power of Attorney in accordance with IB 14.5.
- (f) Documentary evidence in accordance with IB.2(c) & IB.11
- (g) Documentary evidence in accordance with IB.12.

IB.9 Sufficiency of Bid

9.1 Each bidder shall satisfy himself before Bidding as to the correctness and sufficiency of his Bid and of the premium on the rates of CSR / rates and prices quoted/entered in the Schedule of Prices, which rates and prices shall except in so far as it is otherwise expressly provided in the Contract, cover all his obligations under the Contract and all matters and things necessary for the proper completion of the works.

9.2 The bidder is advised to obtain for himself at his own cost and responsibility all information that may be necessary for preparing the bid and entering into a Contract for execution of the Works.

IB.10 Bid Prices, Currency of Bid and Payment

10.1 The bidder shall fill up the Schedule of Prices (Schedule A to Bid) indicating the percentage above or below the Composite Schedule of Rates/unit rates and prices of the Works to be performed under the Contract. Prices in the Schedule of Prices/Bill of Quantities shall be quoted entirely in Pak Rupees keeping in view the instructions contained in the Preamble to Schedule of Prices.

10.2 Unless otherwise stipulated in the Conditions of Contract, prices quoted by the bidder shall remain fixed during the bidder's performance of the Contract and not subject to variation on any account.

10.3 The unit rates and prices in the Schedule of Prices or percentage above or below on the composite schedule of rates shall be quoted by the bidder in the currency as stipulated in Bidding Data.

10.4 Items for which no rate or price is entered by the Bidder will not be paid for by the Procuring Agency when executed and shall be deemed covered by the other rates and prices in the Bill of Quantities.

IB.11 Documents Establishing Bidder's Eligibility and Qualifications

11.1 Pursuant to Clause IB.8, the bidder shall furnish, as part of its bid, documents establishing the bidder's eligibility to bid and its qualifications to perform the Contract if its bid is accepted.

11.2 Bidder must possess and provide evidence of its capability and the experience as stipulated in Bidding Data and the Qualification Criteria mentioned in the Bidding Documents.

IB.12 Documents Establishing Works' Conformity to Bidding Documents

12.1 The documentary evidence of the Works' conformity to the Bidding Documents may be in the form of literature, drawings and data and the bidder shall furnish documentation as set out in Bidding Data.

12.2 The bidder shall note that standards for workmanship, material and equipment, and references to brand names or catalogue numbers, if any, designated by the Procuring Agency in the Technical Provisions are intended to be descriptive only and not restrictive.

IB.13 Bid Security

13.1 Each bidder shall furnish, as part of his bid, at the option of the bidder, a Bid Security as percentage of bid price/estimated cost or in the amount stipulated in Bidding Data in Pak. Rupees in the form of *Deposit at Call/ Payee's Order or a Bank Guarantee* issued by a Scheduled Bank in Pakistan in favour of the Procuring Agency valid for a period up to twenty eight (28) days beyond the bid validity date (*Bid security should not be below 1%.and not exceeding 5% of bid price/estimated cost SPP Rule 37*).

13.2 Any bid not accompanied by an acceptable Bid Security shall be rejected by the Procuring Agency as non-responsive.

13.3 The bid securities of unsuccessful bidders will be returned upon award of contract to the successful bidder or on the expiry of validity of Bid Security whichever is earlier.

13.4 The Bid Security of the successful bidder will be returned when the bidder has furnished the required Performance Security, and signed the Contract Agreement (SPP Rule 37).

13.5 The Bid Security may be forfeited:

(a) if a bidder withdraws his bid during the period of bid validity; or

(b) if a bidder does not accept the correction of his Bid Price, pursuant to Sub-Clause 16.4 (b) hereof; or

(c) in the case of a successful bidder, if he fails within the specified time limit to:

(i) furnish the required Performance Security or

(ii) sign the Contract Agreement.

IB.14 Validity of Bids, Format, Signing and Submission of Bid

14.1 Bids shall remain valid for the period stipulated in the Bidding Data after the date of bid opening.

14.2 In exceptional circumstances, Procuring Agency may request the bidders to extend the period of validity for a additional period but not exceeding 1/3 of the original period. The request and the bidders' responses shall be made in writing or by cable. A Bidder may refuse the request without forfeiting the Bid Security. A Bidder agreeing to the request will not be required or permitted to otherwise modify the Bid, but will be required to extend the validity of Bid Security for the period of the extension, and in compliance with IB.13 in all respects (SPP Rule 38).

14.3 All Schedules to Bid are to be properly completed and signed.

14.4 No alteration is to be made in the Form of Bid except in filling up the blanks as directed. If any alteration be made or if these instructions be not fully complied with, the bid may be rejected.

14.5 Each bidder shall prepare Original and number of copies specified in the Bidding Data of the documents comprising the bid as described in IB.8 and clearly mark them —ORIGINAL and —COPY as appropriate. In the event of discrepancy between them, the original shall prevail.

14.6 The original and all copies of the bid shall be typed or written in indelible ink and shall be signed by a person or persons duly authorized to sign (in the case of copies, Photostats are also acceptable). This shall be indicated by submitting a written Power of Attorney authorising the signatory of the bidder to act for and on behalf of the bidder. All pages of the bid shall be initialed and official seal be affixed by the person or persons signing the bid.

14.7 The Bid shall be delivered in person or sent by registered mail at the address to Procuring Agency as given in Bidding Data.

D. SUBMISSION OF BID

IB.15 Deadline for Submission, Modification & Withdrawal of Bids

15.1 Bids must be received by the Procuring Agency at the address/provided in Bidding Data not later than the time and date stipulated therein.

15.2 The inner and outer envelopes shall

- (a) be addressed to the Procuring Agency at the address provided in the Bidding Data;
- (b) bear the name and identification number of the Contract as defined in the Bidding and Contract Data; and
- (c) provide a warning not to open before the specified time and date for Bid opening as defined in the Bidding Data.
- (d) in addition to the identification required in 15.2, the inner envelopes shall indicate the name and address of the Bidder to enable the Bid to be returned unopened in case it is declared late.
- (e) If the outer envelope is not sealed and marked as above, the Procuring Agency will assume no responsibility for the misplacement or premature opening of the Bid.

15.3 Bids submitted through telegraph, telex, fax or e-mail shall not be considered.

15.4 Any bid received by the Procuring Agency after the deadline for submission prescribed in Bidding Data will be returned unopened to such bidder.

15.5 Any bidder may modify or withdraw his bid after bid submission provided that the modification or written notice of withdrawal is received by the Procuring Agency prior to the deadline for submission of bids.

15.6 Withdrawal of a bid during the interval between the deadline for submission of bids and the expiration of the period of bid validity specified in the Form of Bid may result in forfeiture of the Bid Security pursuant to IB.13.5 (a).

BIDDING DATA

(5)

(This section should be filled in by the Engineer/Executive Engineer Provincial Buildings Division Mirpurkhas before issuance of the Bidding Documents. The following specific data for the works to be tendered shall complement, amend, or supplement the provisions in the Instructions to Bidders. Wherever there is a conflict, the provisions herein shall prevail over those in the Instructions to Bidders.)

Instructions to Bidders

Clause Reference

1.1 **Name of Procuring Agency:-** Executive Engineer Provincial Buildings Division
Mirpurkhas.

Brief Description of Works:- **Establishment of Veterinary Centres in Sindh (Phase-III) at Village Morasio Roshan Samejo**

5.1 (a) **Procuring Agency Address:-** Executive Engineer
Provincial Buildings Division
Mirpurkhas near State Life Building Mirpurkhas.

(b) **Engineer's address:-** Executive Engineer Provincial Buildings Division
Mirpurkhas Near State Life Building Office
Phone No 0233-9290049

10.3 Bid shall be quoted entirely in Pak. Rupees. The payment shall be made in Pak. Rupees.

11.2 The bidder has the financial, technical and constructional capability necessary to perform the Contract as follows: *(Insert required capabilities and documents)*

i. Financial capacity:

ii. Technical capacity : *(mentions the appropriate category of registration with PEC and qualification and experience of the staff);*

12. (a) A detailed description of the Works essential technical and performance characteristics.

(b) Complete set of technical information, description data, literature and drawings as required in accordance with Schedule B to Bid, Specific Works Data. This will include but not be limited to a sufficient number of drawings, photographs, catalogues, illustrations and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimensions and other relevant information about the works to be performed.

13.1 Amount of Bid Security 5% of Estimate cost

14.1 Period of Bid Validity 90-Days

14.4 Number of Copies of the Bid to be submitted: One original copy.

14.6 (a) Adresse for the purpose of Bid Submission Executive Engineer Provincial Buildings
Division Mirpurkhas near State Life Building Mirpurkhas.

15.1 Deadline for Submission of Bids

Time: 12:30 am on 05-04-2024

16.1 Venue, Time, and Date of Bid Opening

Venue: office of Executive Engineer Provincial Buildings Division Mirpurkhas

Time: 02:30 am Date: 05-04-2024

16.4 Responsiveness of Bids

(i) Bid is valid till required period, 90-Days

Sindh Public Procurement Regulatory Authority | www.pprasindh.gov.pk

Bid prices are firm during currency of contract/Price adjustment;

(iii) Completion period offered is within specified limits,

(iv) Bidder is eligible to Bid and possesses the requisite experience, capability and qualification.

(v) Bid does not deviate from basic technical requirements and

(vi) Bids are generally in order, etc.

*Procuring agency can adopt either of two options. (*Select either of them*)

(a) **Fixed Price contract:** In these contracts no escalation will be provided during currency of the contract and normally period of completion of these works is up to **18-Months.**

(b) **Price adjustment contract:** In these contracts escalation will be paid only on those items and in the manner as notified by Finance Department, Government of Sindh, after bid opening during currency of the contract.

**SCHEDULE – F TO BID
(INTEGRITY PACT)
DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC
PAYABLE BY CONTRACTORS**

(FOR CONTRACTS WORTH RS. 10.0MILLION OR MORE)

Contract No.TC/G-55/ 343 Dated:- 14 / 03 /2024

Contract Value: **6.00(M)**

Contract Title: **Establishment of Veterinary Centres in Sindh (Phase-III) at Village Morasio Roshan Samejo**

..... [name of Contractor] hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Sindh (GoS) or any administrative subdivision or agency thereof or any other entity owned or controlled by it (GoS) through any corrupt business practice.

Without limiting the generality of the foregoing, [name of Contractor] represents and warrants that it has fully declared the brokerage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from, from Executive Engineer Provincial Highway Division Mirpurkhas (PA) except that which has been expressly declared pursuant hereto.

[name of Contractor] accepts full responsibility and strict liability that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with PA and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty.

[name of Contractor] accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to PA under any law, contract or other instrument, be voidable at the option of PA.

Notwithstanding any rights and remedies exercised by PA in this regard, [name of Supplier/Contractor/Consultant] agrees to indemnify PA for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to PA in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by [name of Contractor] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from PA.

[Contractor]

**EXECUTIVE ENGINEER
PROVINCIAL BUILDINGS DIVISION
MIRPURKHAS**

~~FORM OF CONTRACT AGREEMENT~~

THIS CONTRACT AGREEMENT (hereinafter called the Agreement) made on the _____ day of _____ 2024 _____ between Executive Engineer, Prov: Buildings Division Mirpurkhas of the one part and _____ (hereinafter called the Contractor) of the other part.

WHEREAS the Executive Engineer Prov:

Buildings Division Mirpurkhas is desirous that certain Work _____

_____ should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnessed as follows:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.

2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:

- (a) The Letter of Acceptance;
- (b) The completed Form of Bid along with Schedules to Bid;
- (c) Conditions of Contract & Contract Data;
- (d) The priced Schedule of Prices/Bill of quantities (BoQ);
- (e) The Specifications; and
- (f) The Drawings

3. In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.

4. The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor

Signature of the Procuring Agency

(Seal)

(Seal)

Signed, Sealed and Delivered in the presence of:

Witness:

Witness:

(Name, Title and Address)

(Name, Title and Address)

Name of Work:-

**ESTABLISHMENT OF VETERINARY CENTRE IN SINDH
(PHASE -III) AT VILLAGE MORASIO ROSHAN SAMAJO**

SHUDULE "B"

Sr. No:	Items of Work.	Qty:	Rate.	Unit.	Amount.
<u>Part "A" (i) Mian Buildings</u>					
1	Excavation in foundation of Building Bridges and other structure i/c dagbelling dressing, refilling around structure with excavated earth watering and remming lead upto 5 ft: (a) In sand, ashes or loose soil. (S.I.No:18(a) P-04)	1,883	-Cft:	2722.50	%0-Cft: 5,126
2	Cement concrete brick or stone ballast 1-1/2" thick to 2" gauze ratio 1:4:8. (S.I.No:04(b) P-15)	565	-Cft:	9416.28	%-Cft: 53,202
3	Pacca brick work in foundation and plinth in (l-e) cement sand mortor 1:6 (S.I.No:04(l-e), P-20)	1,486	-Cft:	11948.36	%-Cft: 177,553
4	Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle) (a) R.C. work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. (i) Ratio 1:2:4 90 Lbs: cement 2-Cft: sand 4-Cft: shingle 1/8" to 1/4" guaze. (S.I.No:06, P-17)	875	-Cft:	337.00	P-Cft: 294,875
5	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings including cost of binding wire (also includes removal rust from bars) (b) Using Tor bars. (S.I.No:08(b) P-17)	39.37	-Cwt:	5001.70	P.Cwt: 196,917
6	Filling, watering and ramming earth in floors with surplus earth from foundation lead upto one chain and lift upto 5 ft: (S.I.No:21, P-04)	167	-Cft:	1512.50	%0-Cft: 253
7	Filling, watering & ramming earth under floor with new earth (excavated from out side) lead upto one chain and lift upto 5 ft: (S.I.No:22, P-04)	1,061	-Cft:	3630.00	%0-Cft: 3,851
8	Supplying and filling sand under floor and plugging in walls. (S.I.No:29, P-26)	307	-Cft:	1141.25	%-Cft: 3,504
9	Cement concrete brick or stone ballast 1-1/2" thick to 2" gauze ratio 1:5:10. (S.I.No:04(c) P-15)	227	-Cft:	8694.95	%-Cft: 19,738
10	Pacca brick work in Ground floor in (l-e) cement sand mortor 1:6. (S.I.No:05(l-e) P-21)	1,170	-Cft:	12674.36	%-Cft: 148,290
11	Cement plaster 1:6 upto 20" height (b) 1/2" thick. (S.I.No:13(b) P-52)	4,628	-Sft:	2206.60	%-Sft: 102,121
12	Cement plaster 1:4 upto 20" height (a) 3/8" thick. (S.I.No:11(a) P-52)	4,628	-Sft:	2197.52	%-Sft: 101,701
13	P/F G.I. frames / chowkits of size 7" x 2" or 4-1/2" x 3" for doors using 20 gauge G.I. sheet i/c welded hinges and fixing at site with necessary hold fasts, filling with cement sand slurry of ratio 1:6 and repairing the jambs. The cost also i/c all carriage, tools and plants used in making and fixing. (S.I.No:29, P-93)	100	-Rft:	228.90	P.Rft: 22,890
14	P/F G.I. frames / chowkits of size 7" x 2" or 4-1/2" x 3" for windows using 20 gauge G.I. sheet i/c welded hinges and fixing at site with necessary hold fasts, filling with cement sand slurry of ratio 1:6 and repairing the jambs. The cost also i/c all carriage, tools and plants used in making and fixing. (S.I.No:28, P-93)	209	-Rft:	240.50	P.Rft: 50,265
15	First class deodar wood wrought, joinery work in doors and windows etc, fixed in position i/c chowkits hold fasts hinges, iron towers bolts, chocks cleats, handles and cords with hooks, etc. Deodar panelled or panelled and glazed or fully glazed (b) 1-3/4" thick. (only Shutter) (S.I.No:07(b) P-58)	282	-Sft:	902.93	P.Sft: 254,626

Sr. No.	Items of Work.	Qty:	Rate.	Unit.	Amount.
16	P/F iron steel grill using solid square bars of size 1/2" x 1/2" placed at 4" c/c and frame of flat iron patti of 3/4" x 3/4" i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3-coats with 1st: coat of red oxide paint etc. (S.I.No:30, P-94)	270 -Sft:	194.16	P.Sft:	52,423
17	Painting new surface. (c) Preparing surface and painting doors and windows any type 02-coats. (S.I.No:05(c-ii) P-70)	1,320 -Sft:	1489.68	%-Sft:	19,664
18	White washing on walls 02-coats. (S.I.No:26(b), P-60)	671 -Sft:	425.84	%-Sft:	2,857
19	Primary coat of chalk under distemper. (S.I.No:23, P-54)	4,628 -Sft:	442.75	%-Sft:	20,490
20	Distemping on walls 03-coats. (S.I.No:24(c) P-54)	4,628 -Sft:	1079.65	%-Sft:	49,966
21	Cement concrete plain including placing compacting, finishing and curing, complete i/c screening and washing stone aggregate without shuttering. (h) Ratio 1:3:6. (S.I.No:05(h), P-16)	126 -Cft:	12595.00	%-Cft:	15,870
22	Providing and laying topping cement concrete 1:2:4 including surface finishing and dividing into panels. (S.I.No:16(a), P-42)				
(b)	1-1/2" thick topping.	824 -Sft:	2548.29	%-Sft:	20,998
(c)	2" thick topping.	344 -Sft:	3275.50	%-Sft:	11,268
23	Two coats of bitumen laid hot using 34-Lbs: for %-Sft: over roof and blinded with sand at one Cft: per %-Sft: (S.I.No:13, P-35)	824 -Sft:	1887.40	%-Sft:	15,552
24	Laying white marble flooring fine dressed on the surface without winding set in lime mortar 1:2 i/c rubbing in polishing of joint. (a) 3/4" thick flooring. (S.I.No:28(a) P-43)	305 -Sft:	567.48	P.Sft:	173,081
25	P/F 3/8" thick marble tiles of approved quality & colour and shade size 8" x 4" x 6" x 4" in dado skirting & facing removal / tucking of existing plaster surface etc. Over 1/2" thick base of cement mortar 1:3 setting of tiles in slurry of white cement over mortar base i/c filling the joints and washing the tiles with white cement slurry, current finishing, cleaning and polishing etc complete. (i) For new works. (S.I.No:68(i) P-49)	119 -Sft:	186.04	P.Sft:	22,139
26	Laying floor of approved white glazed tiles 1/4" thick in white cement 1:2 over 3/4" thick cement mortar 1:2 complete. (S.I.No:24, P-43)	40 -Sft:	27678.86	%-Sft:	11,072
27	Glazed tile dado 1/4" thick laid in cement pigment over 1:2 cement sand mortar 3/4" thick including finishing. (S.I.No:38, P-45)	108 -Sft:	28299.30	%-Sft:	30,563
Total:-					1,880,855
Add: % Above/Belove					
Total:-					

Part "A" (ii) C.Y Wall

1	Excavation in foundation of Building Bridges and other structure i/c dagbelling dressing, refilling around structure with excavated earth watering and remming lead upto 5 ft: (a) In sand, ashes or loose soil. (S.I.No:18(a) P-04)	342 -Cft:	2722.50	%0-Cft:	931
2	Cement concrete brick or stone ballast 1-1/2" thick to 2" gauze ratio 1:4:8. (S.I.No:04(b) P-15)	57 -Cft:	9416.28	%-Cft:	5,367
3	Pacca brick work in foundation and plinth in (I-e) cement	253 -Cft:	11948.36	%-Cft:	30,229

Sr. No.	Items of Work.	Qty:	Rate.	Unit.	Amount.
---------	----------------	------	-------	-------	---------

sand mortar 1:6 (S.I.No:04(l-e), P-20)

4	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings including cost of binding wire (also includes removal rust from bars) (b) Using Tor bars. (S.I.No:08(b) P-17)	2.23 -Cwt:	5001.70	P.Cwt:	11,154
5	Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle) (a) R.C. work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. (i) Ratio 1:2:4 90 Lbs: cement 2-Cft: sand 4-Cft: shingle 1/8" to 1/4" guaze. (S.I.No:06, P-17)	24 -Cft:	337.00	P-Cft:	8,088
6	Pacca brick work other than building i/c skirting of joints upto 20' height in (l-e) cement sand mortar ratio 1:6. (S.No:07(l-e) P-22)	157 -Cft:	12346.65	%-Cft:	19,384
7	Cement plaster 1:6 upto 20" height (b) 1/2" thick. (S.I.No:13(b) P-52)	856 -Sft:	2206.60	%-Sft:	18,888
8	Cement plaster 1:4 upto 20" height (a) 3/8" thick. (S.I.No:11(a) P-52)	856 -Sft:	2197.52	%-Sft:	18,811
9	Rough cost / stucco cement plaster 3/4" thick in proportion of 1:1-1/2" 1-1/2" in cement hill sand and bajri in patterns. (S.I.No:32, P-55)	89 -Sft:	2306.10	%-Sft:	2,052
10	P/F G.I. frames / chowkits of size 7" x 2" or 4-1/2" x 3" for doors using 20 gauge G.I. sheet i/c welded hinges and fixing at site with necessary hold fasts, filling with cement sand slurry of ratio 1:6 and repairing the jambs. The cost also i/c all carriage, tools and plants used in making and fixing. (S.I.No:29, P-93)	18 -Rft:	228.90	P.Rft:	4,120
11	First class deodar wood wrought, joinery work in doors and windows etc, fixed in position i/c chowkits hold fasts hinges, iron towers bolts, chocks cleats, handles and cords with hooks, etc. Deodar panelled or panelled and glazed or fully glazed (b) 1-3/4" thick. (only Shutter) (S.I.No:07(b) P-58)	28 -Sft:	902.93	P.Sft:	25,282
12	Painting old surface. (c) Painting doors and windows any type 02-coats. (S.I.No:04(c-ii) P-68)	56 -Sft:	1160.06	%-Sft:	650
13	Primary coat of chalk under distemper. (S.I.No:23, P-54)	856 -Sft:	442.75	%-Sft:	3,790
14	Distemping on walls 03-coats. (S.I.No:24(c) P-54)	856 -Sft:	1079.65	%-Sft:	9,242
15	Colour washing on walls 03-coats. (S.I.No:25(c), P-54)	99 -Sft:	1303.17	%-Sft:	1,290

Total:- 159,278

Add: % Above/Belove

Total:-

Part "A" (iii) P.C Yard.

1	Filling watering & remming earth under floor with new earth excavated from out side lead upto one chain and lift upto 5'ft: (S.I.NO:22 P-4)	749 -Cft:	3630.00	%0-Cft:	2,719
2	Cement concrete brick or stone ballast 1-1/2" thick to 2" gauze ratio 1:5:10. (S.I.No:04(c) P-15)	138 -Cft:	8694.95	%-Cft:	11,999
3	Providing and laying topping cement concrete 1:2:4 including surface finishing and dividing into panels. (a) 2" thick topping. (S.I.No:16(a), P-42)	374 -Sft:	3275.50	%-Sft:	12,250

Total:- 26,968

Add: % Above/Belove

Sr. No:	Items of Work.	Qty:	Rate.	Unit.	Amount.
---------	----------------	------	-------	-------	---------

Total:-

<u>Part "B" Cattle Crush</u>					
1	Excavation in foundation of Building Bridges and other structure i/c dagbelling dressing, refilling around structure with excavated earth watering and remming lead upto 5 ft: (a) In sand, ashes or loose soil. (S.I.No:18(a) P-04)	576 -Cft:	2722.50	%0-Cft:	1,568
2	Cement concrete brick or stone ballast 1-1/2" thick to 2" gauze ratio 1:4:8. (S.I.No:04(b) P-15)	51 -Cft:	9416.28	%-Cft:	4,802
3	Cement concrete brick or stone ballast 1-1/2" thick to 2" gauze ratio 1:5:10. (S.I.No:04(c) P-15)	172 -Cft:	8694.95	%-Cft:	14,955
4	Pacca brick work in foundation and plinth in (l-e) cement sand mortor 1:6 (S.I.No:04(l-e), P-20)	91 -Cft:	11948.36	%-Cft:	10,873
5	Cement concrete plain including placing compacting, finishing and curing, complete i/c screening and washing stone aggregate without shuttering. (h) Ratio 1:3:6. (S.I.No:05(h), P-16)	41 -Cft:	12595.00	%-Cft:	5,164
6	Erection and Removal of centering for R.C.C or plain cement concrete work of Partal Wood Vertical (S.I.No:19(b-ii) P-18)	164 -Sft:	3127.41	%-Sft:	5,129
7	Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle) (a) R.C. work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. (i) Ratio 1:2:4 90 Lbs: cement 2-Cft: sand 4-Cft: shingle 1/8" to 1/4" guaze. (S.I.No:06, P-17)	261 -Cft:	337.00	P-Cft:	87,957
8	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings including cost of binding wire (also includes removal rust from bars) (b) Using Tor bars. (S.I.No:08(b) P-17)	10.49 -Cwt:	5001.70	P.Cwt:	52,468
9	Filling, watering and ramming earth in floors with surplus earth from foundation lead upto one chain and lift upto 5 ft: (S.I.No:21, P-04)	384 -Cft:	1512.50	%0-Cft:	581
10	Filling, watering & ramming earth under floor with new earth (excavated from out side) lead upto one chain and lift upto 5 ft: (S.I.No:22, P-04)	36 -Cft:	3630.00	%0-Cft:	131
11	Extra lead for 03-miles. (S.I.No: , P-) (Schedule Carriage)	36 -Cft:	579.41	%-Cft:	209
12	Cement plaster 1:4 upto 20" height (c) 3/4" thick. (S.I.No:11(c) P-52)	246 -Sft:	3015.76	%-Sft:	7,419
13	Cement concrete plain including placing compacting, finishing and curing, complete i/c screening and washing stone aggregate without shuttering. (f) Ratio 1:2:4. (S.I.No:05(f), P-16)	47 -Cft:	14429.25	%-Cft:	6,782
14	Providing and laying topping cement concrete 1:2:4 including surface finishing and dividing into panels. (a) 2" thick topping. (S.I.No:16(a), P-42)	120 -Sft:	3275.50	%-Sft:	3,931

Total:- 201,968

Add: % Above/Belove

Total:-

Part "C" Compound Wall.

1	Excavation in foundation of Building Bridges and other structure i/c dagbelling dressing, refilling around structure with excavated earth watering and remming lead upto 5 ft: (a) In sand, ashes or loose soil. (S.I.No:18(a) P-04)	1,708 -Cft:	2722.50	%0-Cft:	4,650
2	Cement concrete brick or stone ballast 1-1/2" thick to 2" gauze ratio 1:4:8. (S.I.No:04(b) P-15)	414 -Cft:	9416.28	%-Cft:	38,983
3	Cement concrete plain including placing compacting,	1,200 -Cft:	12595.00	%-Cft:	151,140

Sr. No.	Items of Work.	Qty:	Rate.	Unit.	Amount.
	finishing and curing, complete i/c screening and washing stone aggregate without shuttering. (h) Ratio 1:3:6. (S.I.No:05(h), P-16)				
4	Erection and Removal of centering for R.C.C or plain cement concrete work of Partal Wood Vertical (S.I.No:19(b-ii) P-18)	1,600 -Sft:	3127.41	%-Sft:	50,039
5	Fabrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings including cost of binding wire (also includes removal rust from bars) (b) Using Tor bars. (S.I.No:08(b) P-18)	3.29 -Cwt:	5001.70	P.Cwt:	16,456
6	Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle) (a) R.C. work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. (i) Ratio 1:2:4 90 Lbs: cement 2-Cft: sand 4-Cft: shingle 1/8" to 1/4" guaze. (S.I.No:06, P-17)	208 -Cft:	337.00	P-Cft:	70,096
7	Pacca brick work other than building i/c skirting of joints upto 20' height in (l-e) cement sand mortar ratio 1:6. (S.No:07(l-e) P-22)	1,500 -Cft:	12346.65	%-Cft:	185,200
8	Cement plaster 1:6 upto 20" height (b) 1/2" thick. (S.I.No:13(b) P-52)	4,400 -Sft:	2206.60	%-Sft:	97,090
9	Cement plaster 1:4 upto 20" height (a) 3/8" thick. (S.I.No:11(a) P-52)	4,400 -Sft:	2197.52	%-Sft:	96,691
10	White washing on walls 03-coats. (S.I.No:26(c), P-60)	25 -Sft:	829.95	%-Sft:	207
11	Making and fixing steel grated doors with 1/16" thick sheeting i/c angle iron frame 2" x 2" 3/8" and 3/4" square bars 4" centre to centre with locking arrangement. (S.I.No:24, P-92)	72 -Sft:	726.72	P.Sft:	52,324
12	Painting old surface. (c) Painting doors and windows any type 02-coats. (S.I.No:04(c-ii) P-68)	144 -Sft:	1160.06	%-Sft:	1,670

Total:- 764,546

Add: % Above/Belove

Total:-

Part "D" Paths

1	Filling, watering & ramming earth under floor with new earth (excavated from out side) lead upto one chain and lift upto 5 ft: (S.I.No:22, P-04)	1,000 -Cft:	3630.00	%-Cft:	3,630
2	Cement concrete brick or stone ballast 1-1/2" thick to 2" gauze ratio 1:5:10. (S.I.No:04(c) P-15)	1,000 -Cft:	8694.95	%-Cft:	86,950
3	Cement concrete plain including placing compacting, finishing and curing, complete i/c screening and washing stone aggregate without shuttering. (h) Ratio 1:3:6. (S.I.No:05(h), P-16)	170 -Cft:	12595.00	%-Cft:	21,412
4	Extra lead for 06-miles. (S.I.No:01, P-01) (Schedule Carriage)	100 -Cft:	771.96	%-Cft:	772

Total:- 112,763

Add: % Above/Belove

Total:-

Sr. No.	Items of Work.	Qty:	Rate.	Unit.	Amount.
---------	----------------	------	-------	-------	---------

Part "E" Water Supply

1	P/F orisa type white or colour glazed earthen ware w.c. pan with cost of low level plastic flush tank of 3-gallons capacity of approved quality i/c making requisite number of holes in walls, plinth & floor and making good in cement concrete 1:2:4. (a) W.C. pan orisa type 23" with plastic tank of low level down 3-gallons C.I. trap & C.I. thumble (Superior quality) (ii) With 4" dia earthen ware trap and plastic thumble. (S.I.No:03(a-ii) P-02)	2 -Nos:	6166.60	Each.	12,333
2	P/F 22" x 16" lavatory basin in white glazed earthen ware complete with & i/c the cost of W.I or C.I. cantilever brackets 6 inches built into walls, painted white in 2 coats after a primary coat of red lead paint, a pair of 1/2" rubber plug & chrome brass waste of approved pattern 1-1/4" dia malleable iron or c.p. brass traps, malleable iron or brass unions and making requisite number of holes in walls, plinth and floor for pipe connection and making good in cement concrete 1:2:4. (Foreign or Equivalent) (S.I.No:13, P-04)	2 -No:	6237.00	Each.	12,474
3	Steel sink stainless sized 33" x 18" local make. (Standard Pattern)	1 -No:	5712.30	Each.	5,712
4	P/F 6" x 2" or 6" x 3" C.I. floor trap of the approved selt cleaning design with a C.I. screwed down grating with or without a vent arm complete with & i/c making requisite number of holes in walls, plinth & floor for pipe connections & making good in cement concrete 1:2:4. (S.I.No:20, P-06)	3 -No:	2042.43	Each.	6,127
5	Providing, laying UPVC pipe of Class "B" fixing in trench i/c cutting, fitting and jointing with solvent cement i/c tesing with water to a head of 61 meter or 200 ft: (a) 80 mm (3"dia). (P.H.E.S.I.No:04(a), P-21)				
a)	100 mm (4"dia).	30 -Rft:	136.00	P.Rft:	4,080
b)	150 mm (6" dia)	30 -Rft:	259.00	P.Rft:	7,770
6	Providing, Laying UPVC Pipes of Class "D" fixing in trench i/c cutting fitting and jointing with solvent cement i/c testing with water to a head of 122 meter or 400' ft: (a) 13 mm 1/2" dia. (P.H.E.S.I.No:6(a) P-24)				-
a)	13 mm 1/2" dia.	60 -Rft:	12.00	P.Rft:	720
b)	19 mm 3/4" dia.	60 -Rft:	19.00	P.Rft:	1,140
7	P/F in position nyloon connections complete with 1/2" dia, brass stop cock with pair of bras nuts & lining joints to nyloon connection. (S.I.No:23, P-06)	4 -No:	447.15	Each.	1,789
8	S/F long bib cock of superior quality with crystal head 1/2" dia. (S.I.No:13(b) P-19)	5 -No:	1384.24	Each.	6,921
9	S/F Sink mixture cock of Superior Quality with C.P. head 1/2" dia. (S.I.No.19, P-16)	3 -No:	657.80	Each.	1,973

Total:- 61,040

Add: % Above/Belove

Total:-

Part "F" Drainage.

1	Constructing manhole or inspection chamber for the required diameter of circular sewer and 3'-6" (1067 mm) depth with walls of B.B. in cement sand mortar 1:3 cement plastered 1:3, 1/2" thick, inside of walls and 1" (25 mm) thick over benching and channel i/c fixing C.I. manhole cover with frame of clear opening 1-1/2' x 1-1/2' (457 x 457 mm) of 1.75 Cwt. (88.9 kg) embedded in plain C.C. 1:2:4 and fixing 1" (25 mm) dia M.S. steps 6" (150 mm) wide projecting 4" (102 mm) from the face of wall at 12" (305 mm) C.C. duly painted etc. complete as per standard specification and drawing. (a) 4" to 12" dia 2' x 2' x 3'-6". (without C.I cover) (P.H.E.S.I.No:01, P-46)	2 -No:	14748.00	Each.	29,496
---	--	--------	----------	-------	--------

Sr. No:	Items of Work.	Qty:	Rate.	Unit.	Amount.
2	Providing, laying UPVC pipe of Class "B" fixing in trench i/c cutting, fitting and jointing with solvent cement i/c teting with water to a head of 61 meter or 200 ft: (a) 80 mm (3"dia). (P.H.E.S.I.No:04(a), P-21)				
a)	100 mm (4"dia).	30 -Rft:	137.00	P.Rft:	4,110
b)	150 mm (6" dia)	30 -Rft:	259.00	P.Rft:	7,770
3	Construction manhole for the required dia of circular sewer and 7'- 6" depth with walls of B.B in cement motor 1:3 cement plastered 1:3, ½" thick inside of walls and 1"(25mm) thick over benching and channel I / c fixing C.I Manhole cover with frame of clear opening 2 x 2, (610 x 610 mm) of 4.50 Cwt. (88.9 kg) embedded in plain C.C 1:2:4 and two way rainforced 6" thickness i/c fixing 1" (25mm) dia M.S steps 6" (150 mm) wide projecting 4" (102 mm) from the face of wall at 12" (305 mm) C/C duly painted etc. Complete as per specification and drawing No.D.P/2 of Public Health Circle Southern Zone. (a) 12" dia 4'-6" x 3' x 7'-9". (with C.I cover) (P.H.E.S.I.No:02, P-39)	1 -No:	17576.95	Each.	17,577

Total:- 58,953

Add: % Above/Belove

Total:-

Part "G" Non Schdule Item.

1	S/F water lifting pump i/c electric moter 1/2 h/p (Super Quality)	1 -No:	-	Each.	-
2	P/F nylon pipe connection 3/8' dia thick (Super Quality)	100 %-Rft	-	%P-Rft	-
3	S/F check valve	1 No	-	%-No	-

Total:- -

GENERAL ABSTRACT.

1) Part "A" (i) Mian Buildings	RS:-	
1) Part "A" (ii) C.Y Wall	RS:-	
2) Part "A" (iii) P.C Yard.	RS:-	
3) Part "B" Cattle Crush	RS:-	
4) Part "C" Compound Wall.	RS:-	
5) Part "D" Paths	RS:-	
6) Part "E" Water Supply	RS:-	
7) Part "F" Drainage.	RS:-	
8) Part "G" Non Schdule Item.	RS:-	
	G. TOTAL :-	_____
	S A Y :-	=====

NOTE :-

- 1) Only hill sand will be used.
- 2) Premium on non schedule item will not be allowed.
- 3) Cartage of any item either supplied y the Department if the contractor will be not allowed.
- 4) Water arrangement will be made by the contractor at his own risk and cost.
- 5) Income tax at 8.0% & 5 SRB will be deducted from each bill of the contractor as per out standing orders.
- 6) The Material used in the work or finished project can be got tested from any approved lab: as the direction by Engineer In charge or his representative and all the expenses in this connection with such testing shall be borne by the contractor executively without any reimbursement claim again his account.

Contractor

Executive Engineer
Provincial Buildings Division
Mirpurkhas